


Aluminium rolling grille

**PRG-A ProTect**

**PRG-A ProPark**





## Aluminium rolling grilles - PRG-A series

The PRG-A series of the rolling grilles always ensure an elegant and safe closure. Whether for small or big openings, outside doors or inside partitions, high number of cycles or only night-time closure - the PRG-A rolling grilles stand for reliability and durability in a timeless beautiful design.

Designed and produced with the know-how and 30 years of experience of the rolling grille specialist, only high-quality material and carefully matched components are used for PRG-A doors. Many parts are specifically designed for their specific use.

**Nor have there been any compromises when it comes to safety:**

PRG-A rolling grilles are manufactured in line with the high requirements of the European standards. These are certified in accordance with **EN-13241-1** and are also type tested.

### Areas of application

#### PRG-A ProTect

- Shop windows
- Passages
- Night-time closures
- Shopping centres
- Shop-in-Shop

#### PRG- A ProPark

- Underground car parks
- Multi-storey car parks
- Public garages
- Parking levels
- Courtyard entrances




# Rolling grille PRG-A ProTect

## Light, compact and high quality

Grille and connection elements of solid aluminium with cross bar for additional stability and safety.

The exclusive use of high-quality aluminium when producing grille curtains permits particularly quiet running and weather resistance.



**ProTect**  
(standard)

**ProTect Plus**  
(with additional connector)

**ProTect FR**  
(with guide rolls)

## Safety

Besides the standard anti-lift device, the lockable bottom profil provides additional protection against burglary. The open design of the attractive honeycomb is nevertheless suitable for a view of the shop window.

As **ProTect Plus** version with an additional connection element in the honey comb, the grille is also suitable for display windows with high security requirements e.g. jewellers.

## Design and versatility

Modern architecture requires modern surface finish:

- standard version in bright-rolled aluminium
- Coating in almost all RAL-/NCS-/DB-colour shades
- Anodised in silver (E6/EV1) and various shades of bronze (1-5)

Design versatility that suits your requirements - accurately:

- Side door, also as a complete rotating side element
- Fixed parts with visual similarity to the grille
- Angled bottom profile
- barrel casing in high quality aluminium

## Your benefits

- ✓ attractive honeycomb pattern
- ✓ integrated anti-lift device
- ✓ particularly quiet running
- ✓ weatherproof
- ✓ complies with product standard EN 13241-1
- ✓ type tested



## Application as shop doors



The PRG-A ProTect series has proven itself in thousands of shop windows and store entrances:

- A filigree look that fits in perfectly with the modern design of today's malls and shopping centres!
- High reliability and low space requirements!
- Protection against burglary and vandalism yet still leaves a clear view of advertising and the shop window!
- Overall sizes from 0.6 to 20 m wide\*!
- Certified according to the latest EU standards and type tested!



Technical data	Rolling grill	
	PRG-A ProTect	PRG-A ProPark
Door curtain material	Aluminium	Aluminium
Door curtain surface	bright-rolled	bright-rolled
Door curtain dead weight	5,9 kg/m <sup>2</sup>	5,9 kg/m <sup>2</sup>
Material thickness	11,4 x 7,0 mm	11,4 x 7,0 mm
Approx. ventilation cross-section	78%	78%
Honeycomb size	175 x 70 mm	175 x 70 mm
Bumper, galv. steel	not available	standard
Max. door width*	18.000	10.000
Max. door height*	7.000	5.000
Wicket door (integrated in door leaf)	not available	not available
Identical-looking private door	optional	optional
Identical-looking fixed parts	optional	optional

\* other sizes on request!

# Rolling grille PRG-A ProPark



## The ProPark series

especially developed for use in public car parks

- maximum safety for operations
- maximum strength
- lasting functionality
- durability at low maintenance costs
- efficient noise reduction system
- all safety equipment type tested

## The ProPark control systems

microprocessor technique providing maximum safety

- safety test prior to every door operation
- automatic admission with adjustable open time
- two-way traffic control
- garage light control
- control through various external impulse controls (barriers, card reader, fire detection system)
- weekly/annual program per radio clock



## The ProPark construction

self-supporting, requiring minimum space, crash protected

- integrated side guides and concealed wired light barriers
- protection against vandalism and damage
- protection against soiling
- door's function retained in case of small damages

## The ProPark equipment

precisely matched optional extras


- side door with reach-through protection (with visual similarity to the grille)
- different panic locks
- marten protection system
- external installation with attractive barrier casing
- various control elements (push button, key switches, stand posts, radio control, induction loops, card reader, etc.)
- **New: Doorcall** - door control through mobile phone

## Your benefits

- ✓ optimum ventilation (78%)
- ✓ sophisticated collision guards
- ✓ in-built safety equipment
- ✓ 330.000 tested cycles
- ✓ complies with European standard EN 13241-1
- ✓ type tested



Installation sketch ProPark: with direct drive operator / behind the structural opening



Please send for further documents should you require more specific details!



 **Promotec<sup>®</sup>**  
**Industrietore**  
[www.promotec-industrietore.de](http://www.promotec-industrietore.de)

Promotec Industrietore GmbH  
 Max-Planck-Straße 18  
 D-77694 Kehl am Rhein  
 Telefon: +49 (0) 78 51 / 79 05-0  
 Telefax: +49 (0) 78 51 / 36 11  
[info@promotec-industrietore.de](mailto:info@promotec-industrietore.de)  
[www.promotec-industrietore.de](http://www.promotec-industrietore.de)